

2019} }J' nQRSz Mp 1 U O
40 J O k 1.5GWZ

6 . b : } @r6 h N 2018 M; + I \
J Ph //O1r6 | 6
` 2 3 6j] NSARAG+ RA91 RS
n b 4 : WB VSCDTU V+ (E
2019 +5 J z 6 F_G. «HIJ «H K- f
O# n787l 9^: ; r < np Nr ELM]
n=l /+ de > ! YNO PSB 91 KQ M
%r786 ^np Nr OM \ 7) np NrM\r
\l\6 > Ph p p ? [R S9 T U\$Vy U

2019


6 30

12 31


543

! / O 123

+5 J N ? k 30 c + t ?
W : 3 [XY : [Z , 1MWpl U• b t 348
 : xL f, L k^ : d m6n
9 =8 T f O , "]
7p Nn ^ . ^ ^
[[) , " 1 x
8 N p Nj \]
-) g^ ^ O ^ _
..! O9 ` ! a
bcnp Nr b 9
1-2d = ef 5-15g
% .] bcb S9 10-30 d h
-, O.
_ ! " 8 5-10 i O ?
=p: \$ g9(, "
j r ? 1+1>2 , w N20c



#\$QRS < ? ' @ABFG



20MW



20MW

365

' (NOP

+2 8.88 Tf 0.36 Tc4+1 17(b) T*36 Tc4+123Tc (p)+2 8.88 Tf ,Tj -3.9691Tc (p)-2 8.88 Tf .36 Tc4+1 17(b) T/01+2 8.88



\$b > d' @AF G

程

饵料投喂

b Qy3 !) k 12R3
 ! s; \$3L O]
 k 15R2s r5 N7B +I
 I - * \ O6\k
 N 5%G! 3-6 k O{ 30% 7
 k9 1Fe 3m6 GwS O
 r 6 O6\kN 3-4% k
 O{ O 30% N9 1F b
 c * \ ? TUPs Y * \ >y Q
 I - >y? O O6\k
 N 5-8% k O{ O 40%
 2 1 bF 10RP+ V|O O
 R6?f 3 b 1W2 * \
 TU k (? 5 h?
 1M NO O6 38-40% 7-8% XY
 Y 2.0mm
 Y4 ? 5 * \ 2-3U A
 U ? k (? ? Y O
 ? 2.5mm Y5 ? 7 * 1B Q
 r 5Z[! Cb 2 k O{
 NN 3%W4% + 30% Qy O{
 70%

河蟹早中期的O养需求特

3B- * \ ON . 3B *
 \TU36. ; S Q * \ ?
 1M O M Jh eF * \TU
 I 1 O# < \] ^ 1NO SS

质调控

=B' % \ s; SA
 pH I 234 B^5- Ne -
 ? _b y+ k) O g 4> 1 N
 3mg/LP+ b61-2 7 8&9
 5 k n (EML
 : u ; #C - ? 3 <L 4>

Q* \ ? 1 NO O e B e
 B 5 h? 1M NO O6
 35-40% 8-10% h 2% PN 2%

饵料选择

R * \ V| _ , J) \ ? h
 ? 1a= FS Q * \ NN6 20-50 b
 ? Y N2.5-3.0cH Ye B3(7
 -8 20 G!) d+ \ } >N
 28RP+ S Q * \ > [TU1 %k[
 TU `e B * \ ? ^e_ R e *
 \ fg k @ ^ * \ (h? i
 j] k %bc `S Q ? %
 k!) -'

高温期的O养需求特

TU 6 ? ^e_ Se B * \ c
 N - 8e] k cE Pi XFe B) \
 ?] cEM NO O 8e] k f l
 ? MJNO3 O 8e * \] k %
 S Q * \ ? 1M OC5N e B
) \ ? M NO O 56 34-36%
 6-8%G!

饵料选择 饵料投喂次 和投喂量

5b bZ me (? F
 O{ NN 2%W3%F Gw } HI
 32Ru 'n ! Po3p 3
 3 56Qy 18 00G! qrs F
 e 33 y Pw bcs * \
 t v|

工作

观察

N ~ yz , N \ 3
 { | : ; P\$ } O- | { | : ; P\$ }
 : ; L O O \ - \ , \$3 • 9,
 } B4 > N50-60cm
 G! b " Bk5 K Fe 3
 O k 1.3-1.5m i DbAG! K
 k b 6 20-40cmu k O
 1/4G! 3f, N # ^ I l e 3 =]
 1 # \] \$ % & O - ' !)
 / (N8) k 9 23 \ * + 3B3f
 \ - A (, (- . ' ((, \ -
 \ 3ON t 80 P+ .
 , (/ O 1 Y

质调控

=B' % \ s; SA
 pH I 234 B^5- Ne -
 ? _b y+ k) O g 4> 1 N
 3mg/LP+ b61-2 7 8&9
 5 k n (EML
 : u ; #C - ? 3 <L 4>

pH N 7-8.5 2 3 NH4+-N =
 0.2mg/L l 2 3 4 NO2--N = 0.01mg/L B
 ^ 5 S2- = 0.001mg/L

河蟹育肥

* \ >y N8 20 . ? c K
 ^ - d ` EN >yB3E? rO
 g 8N9 10 gB3 O yu
 @ ^ UPbAJK 1/3 i : 3. A?
 > < k / bA. 1-2
 B > yk 33b [6 623 B3
 3fk B(!) * \ C DRJE
 : ; sB 8 Y11 1FPs O g G
 ! : ; =] g %k[g
 10 1FPs = 3 i) >y * \
 + 12 gs >y \ i i k
 1.5HP+ l d ` 5J >y
 I >y * \ = KL >yB*
 \ ? M } 35% O1 8 Ok
 8 { ? } 15%P+ NO O
 10% O1PN O 4% h O 2%
 # \$ % &
 sv 5